Pyradia

www.pyradia.com

Belfab

MODULAR DUST COLLECTORS & DOWNDRAFT TABLES

WOODWORKING COARSE & FINE DUST

INDUSTRIAL FUME & FINE DUST

AIR FILTRATION





HIGH EFFICIENCY UP-FLOW CARTRIDGE DUST COLLECTOR

The BELFAB V4 from the MPJC series is an upflow cartridge dust collector (vertical cartridges) with pulse jet cleaning system, offering optimal air-to-cloth ratio for 1000 to 4000 CFM ranges. This stand-alone compact cartridge filter unit can be configured with a sealed drawer, a hopper with drum or a rotary air-lock continuous discharge for dust disposal.

APPLICATIONS:

- WELDING & ROBOTIC WELDING
- LASER & PLASMA CUTTING
- GRINDING & DEBURRING
- SANDING & FINISHING
- SOLDERING & BRAZING



V4S DRAWER CONFIGURATION


FEATURES	BENEFITS	
Fully welded construction	Low risk of dust leaking through the panels of the dust collector	
11-gauge steel heavy duty structure	Suitable for a wide range of pressure and applications	
Upgradeable blower	Simple and low cost retrofit to increase CFM capacity	
Multiple filter media type availability	Suitable for a wide range of manufacturing processes	
Standard size cartridges (V4S-26in / V4L-36in)	Quick delivery on filter replacement parts	
Pulse cleaning technology (TDEF)	High efficiency filtration and longer cartridges life expectancy	
Easy maintenance	Replacement of cartridges facilitated by ergonomical handles, lightweight panels and easy access to the cartridges	
Compact design	Minimize floor space requirements	
Option: Magnehelic gauge	Clearly indicates the service interval for optimal efficency and operation costs	







UNIQUE TEAR DROP EVEN FLOW (TDEF) PULSE JET CLEANING TECHNOLOGY

- Evenly forces the pulse of air through the entire length of the cartridge.
- Cartridges are cleaned top to bottom with each pulse.
- Pressure drop is reduced across the filters after clean-up cycles allowing the complete surface of the cartridges to be used for filtration.
- Cartridges life expectancy is increased.



V4S SPECIFICATIONS





MPJC – V4S	MPJC-V4S-D Sealed Drawer Configuration	MPJC-V4S-B Drum & Hopper Configuration
Filters quantity	4	4
Filters dimension	12¾ diax26″	12¾ diax26"
Optimal CFM	1000 to 3500 CFM	1000 to 3500 CFM
Dust disposal	Drawer	55 gal Steel drum
Dimensions (without control panel)	36" (L) x 48" (W) x 89" (H)	36" (L) x 48" (W) x 136" (H)
Weight (lbs)	1400	1650

OPTIONS & ACCESSORIES

- Spark detector and sprinkler
- On-demand auto cleaning system
- Explosion door & accessories
- Silencer package

- Sealed Drawer / Drum / Rotary airlock
- Hopper for 55 gal. drum
- Magnehelic pressure gauge
- Extended legs
- Pneumatic cleaning push button

Belfab improves its products continuously and may change the specifications without notice.

