


DUST COLLECTING EQUIPMENT & DOWNDRAFT TABLES

A division of

Pyradia





WOODWORKING

DOWNDRAFT TABLES

The Belfab downdraft table is ergonomic and energy efficient and it offers easy maintenance. The downdraft table from Belfab is available in three different sizes. The table is mounted on wheels and it can be easily moved around your shop. This downdraft table is perfect for light to medium duty woodworking applications such as sanding and finishing.





OPTIONS

- Back and side shield (3636 and 3672 models)
- Magnehelic pressure gauge
- Filter cleaning hood
- Exhaust broom

THE MOST INNOVATIVE AND EFFICIENT TABLES ON THE MARKET

DT Series FEATURES


- Innovative anti-slip and non-scuffing mats:
 These robust half-inch thick mats secure parts in place and protect work from denting.
- **Ergonomic:** Special recessed base design offers foot clearance for workers comfort. The tabletop surface is accessible from 360° around.
- Ease of maintenance: The gas-cylinder assisted tabletop is fully counter balanced and auto-blocking for easy opening with one hand. This unique feature gives easy access to filters and inner chamber for maintenance.

Belfab improves its products continuously and may change the specifications without notice.



DT SERIES






BLOWER

- Located on the clean side of filters for trouble free extended life.
- Energy efficient : more suction with 50% less HP.
- Revolutionary design: dual inlet blowers generating over 1800 CFM each.
- Airflow design generating even suction distribution across the whole top area.

FILTERS

- Innovative design: Filters act as dust trays to capture 100% of collected dust particles. They can be easily emptied, cleaned and replaced in less than one minute!
- **Flexible concept:** Can integrate a variety of panel filter types and thicknesses that can be selected to optimize both filtration performance and durability for your application.



DT Series

MODELS AND SPECIFICATIONS

MODEL		- Gelfab	- Zelfab
Table top dimensions (W x L x H) (in.)	36" x 36"x 36"	36" x 72"x 36"	48" x 108"x 36"
Panel Filter efficiency	98.00 %	98.00 %	98.00 %
Max Amperage load	115 v -1ph (L1,N) : 11A 240/120v-1ph (L1,L2,N) : 15A 208/120v-3ph (L1,L2,L3,N) : 15A	240/120v - 1ph / L1,N : 20A 208/120v - 3ph / L1,L2,L3, N : 20A	208/230v -3ph / L1, L2, L3 : 11 A 460/600v - 3ph / L1, L2, L3 : 4 A
		208/230v -1ph / L1, L2 : 11 A	
		208/230v -3ph / L1, L2, L3 : 11 A 460/600v -3ph / L1, L2, L3 : 4 A	
Auxiliary electrical outlet Connector not included	1 Duplex 115v - 1ph- Only available with 208/120v-3ph or 240/120v-1ph	2 x Duplex 115v - 1ph - Only available with 240/120v - 1ph or 208/120v - 3ph	Electrical outlet not available
Blower motor HP	1 x ¾ HP	2 x ¾ HP	3 x ¾ HP
CFM	1800	2 x 1800	3 x 1800
Sound pressure dB (at 10')	74	78	80
Weight for shipping (lbs)	300	550	1000

Belfab improves its products continuously and may change the specifications without notice.

